AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A compound of formula (I-A)

wherein

A represents a phenyl ring,

 R^1 represents hydrogen, halogen, nitro, eyano, or C_1 - C_6 -alkyl, hydroxy or C_1 - C_6 -alkoxy, wherein C_1 - C_6 -alkyl-and C_1 - C_6 -alkoxy can be further substituted with one to three identical or different radicals selected from the group consisting of halogen, hydroxy and C_1 - C_4 -alkoxy,

 R^4

R² represents cyano,

R³ represents hydrogen,

represents C_1 - C_6 -alkyl, C_1 - C_6 -alkylcarbonyl, C_1 - C_6 -alkoxycarbonyl, hydroxycarbonyl, aminocarbonyl, mono- or di- C_1 - C_4 -alkylaminocarbonyl, C_6 - C_{10} -arylaminocarbonyl, heteroarylcarbonyl, heterocyclylcarbonyl, heteroaryl, heterocyclyl or cyano, wherein C_1 - C_6 -alkyl, C_1 - C_6 -alkylcarbonyl, C_1 - C_6 -alkoxycarbonyl, mono- and di- C_1 - C_4 -alkylaminocarbonyl can be further substituted with one to three identical or different radicals selected from the group consisting of C_3 - C_8 -cycloalkyl, hydroxy, C_1 - C_4 -alkoxy, C_1 - C_4 -alkoxycarbonyl, hydroxycarbonyl, aminocarbonyl, mono- and di- C_1 - C_4 -alkylaminocarbonyl, C_1 - C_4 -alkylcarbonyl-amino, amino, mono- and di- C_1 - C_4 -alkylamino, heteroaryl, heterocyclyl, tri- $(C_1$ - C_6 -alkyl)-silyl and cyano,

- represents C₁-C₄-alkyl, which can be substituted with one to three identical or different radicals selected from the group consisting of halogen, hydroxy, C₁-C₆-alkoxy, C₂-C₆-alkenoxy, C₄-C₆-alkylthio, amino, mono- and di-C₁-C₆-alkyl-amino, arylamino, hydroxycarbonyl, C₁-C₆-alkoxycarbonyl and the radical -O-C₁-C₄-alkyl-O-C₁-C₄-alkyl,
- R^{6A} represents hydrogen, C₁-C₆-alkylcarbonyl, C₃-C₈-cycloalkylcarbonyl, C₄-C₆-alkylcarbonyl, mono- or di-C₁-C₄-alkylaminocarbonyl, wherein C₁-C₆-alkyl-

carbonyl, C_1 - C_6 -alkoxycarbonyl, mono- and di- C_1 - C_4 -alkylaminocarbonyl can be substituted with one to three identical or different radicals selected from the group consisting of C_3 - C_8 -cycloalkyl, hydroxy, C_1 - C_4 -alkoxy, amino, mono- and di- C_1 - C_4 -alkylamino,

- R^{6B}—represents C₁-C₆-alkyl, which can be substituted with one to three identical or different radicals selected from the group consisting of hydroxy, C₁-C₄-alkoxy, amino, mono- and di-C₁-C₄-alkylamino, C₁-C₄-alkoxycarbonyl, hydroxycarbonyl, aminocarbonyl, mono- and di-C₁-C₄-alkylaminocarbonyl, C₁-C₄-alkylaminocarbonyl, C₄-C₄-alkylaminocarbonyl, wherein heteroaryl and heterocyclyl can be further substituted with one to two identical or different radicals selected from the group consisting of C₁-C₄-alkyl, hydroxy and oxo,
- R^7 represents halogen, nitro, eyano, or C_1 - C_6 -alkyl, hydroxy or C_4 - C_6 -alkoxy, wherein C_1 - C_6 -alkyl and C_4 - C_6 -alkoxy can be further substituted with one to three identical or different radicals selected from the group consisting of halogen, hydroxy and C_1 - C_4 -alkoxy,

and

Y¹, Y², Y³ and Y⁴ each represent CH.

- 2. (Currently Amended) The compound of formula (I-A) according to Claim 1, wherein
 - A represents a phenyl, ring,
 - R^1 represents hydrogen, halogen, nitro, eyano, C_1 - C_6 -alkyl, hydroxy or C_1 - C_6 -alkoxy, wherein C_1 - C_6 -alkyl and C_1 - C_6 -alkoxy can be further substituted with one to three identical or different radicals selected from the group consisting of halogen, hydroxy and C_1 - C_4 -alkoxy,
 - R² represents cyano,
 - R³ represents hydrogen,
 - represents C₁-C₆-alkylcarbonyl, C₁-C₆-alkoxycarbonyl, hydroxycarbonyl, aminocarbonyl, mono- or di-C₁-C₄-alkylaminocarbonyl, C₆-C₁₀-arylaminocarbonyl, heteroarylcarbonyl, heterocyclylcarbonyl, heteroaryl, heterocyclyl or cyano, wherein C₁-C₆-alkylcarbonyl, C₁-C₆-alkoxycarbonyl, mono- and di-C₁-C₄-alkylaminocarbonyl can be further substituted with one to three identical or different radicals selected from the group consisting of C₃-C₈-cycloalkyl, hydroxy, C₁-C₄-alkoxy, C₁-C₄-alkoxycarbonyl, hydroxycarbonyl, aminocarbonyl, mono- and di-C₁-C₄-alkylaminocarbonyl, C₁-C₄-alkylcarbonylamino, amino, mono- and di-C₁-C₄-alkylamino, heteroaryl, heterocyclyl and tri-(C₁-C₆-alkyl)-silyl,

- represents C₁-C₄-alkyl, which can be substituted with one to three identical or different radicals selected from the group consisting of halogen, hydroxy, C₁-C₆-alkoxy, C₂-C₆-alkenoxy, C₁-C₆-alkylthio, amino, mono- and di-C₁-C₆-alkylamino, arylamino, hydroxycarbonyl, C₁-C₆-alkoxycarbonyl and the radical-O-C₁-C₄-alkyl-O-C₁-C₄-alkyl,
- R^{6A} represents hydrogen, C₁-C₆-alkylcarbonyl, C₃-C₈-cycloalkylcarbonyl, C₄-C₆-alkoxycarbonyl, mono- or di-C₄-C₄-alkylaminocarbonyl, wherein C₁-C₆-alkylcarbonyl, C₁-C₆-alkoxycarbonyl, mono- and di-C₁-C₄-alkylaminocarbonyl can be substituted with one to three identical or different radicals selected from the group consisting of C₃-C₈-cycloalkyl, hydroxy, C₁-C₄-alkoxy, amino, mono- and di-C₁-C₄-alkylamino,
- R^{6B}—represents C₁-C₆-alkyl, which can be substituted with one to three identical or different radicals selected from the group consisting of hydroxy, C₁-C₄-alkoxy, amino, mono- and di-C₁-C₄-alkylamino, aryl, heteroaryl and heterocyclyl,
- R^7 represents halogen, nitro, eyano, or C_1 - C_6 -alkyl, hydroxy or C_1 - C_6 -alkoxy, wherein C_1 - C_6 -alkyl and C_1 - C_6 -alkoxy can be further substituted with one to three

identical or different radicals selected from the group consisting of halogen, hydroxy and C_1 - C_4 -alkoxy,

and

Y¹, Y², Y³ and Y⁴ independently from each other represent CH or N, wherein the ring contains either 0, 1 or 2 nitrogen atoms.

- 3. (Currently Amended) The compound of formula (I-A) according to Claim 1 , wherein
 - A represents a phenyl ring,
 - R¹ represents hydrogen, fluoro, chloro, bromo, nitro, cyano, methyl, ethyl, trifluoromethyl or trifluoromethoxy,
 - R² represents cyano,
 - R³ represents hydrogen,
 - R^4 represents C_1 - C_6 -alkylcarbonyl, C_1 - C_6 -alkoxycarbonyl, hydroxycarbonyl, aminocarbonyl, mono- or di- C_1 - C_4 -alkylaminocarbonyl or cyano, wherein C_1 - C_6 -alkylcarbonyl, C_1 - C_6 -alkoxycarbonyl and mono- C_1 - C_4 -alkylaminocarbonyl can be substituted with one to three identical or different radicals selected from the group

consisting of C₃-C₆-cycloalkyl, hydroxy, C₁-C₄-alkoxy, C₁-C₄-alkoxycarbonyl, amino, mono- or di-C₁-C₄-alkylamino, heteroaryl and heterocyclyl,

- R⁵ represents methyl or ethyl,
- R^{6A} represents hydrogen, C₁-C₆-alkylcarbonyl or C₃-C₆-cycloalkylcarbonyl, wherein C₁-C₆-alkylcarbonyl can be substituted with a radical selected from the group consisting of C₃-C₆-cycloalkyl, hydroxy, C₁-C₄-alkoxy, amino, mono- and di-C₁-C₄-alkylamino,
- represents C₁-C₆-alkyl, which can be substituted with a radical selected from the group consisting of hydroxy, C₁-C₄-alkoxy, amino, mono- and di-C₁-C₄-alkylamino, phenyl, heteroaryl and heterocyclyl,
- R⁷ represents halogen, nitro, cyano, trifluoromethyl, trifluoromethoxy, methyl or ethyl,

and

 Y^1 , Y^2 , Y^3 and Y^4 each represent CH.

4. (Currently Amended) The compound of formula (I-A) according to Claim 1, wherein

- A represents a phenyl ring,
- R¹ and R³ each represent hydrogen,
- R² represents cyano,
- R^4 represents C_1 - C_4 -alkylcarbonyl or C_1 - C_4 -alkoxycarbonyl, wherein C_1 - C_4 -alkoxycarbonyl can be substituted with a radical selected from the group consisting of hydroxy, C_1 - C_4 -alkoxy, C_1 - C_4 -alkoxycarbonyl, mono- and di- C_1 - C_4 -alkylamino, heteroaryl and heterocyclyl,
- R⁵ represents methyl,
- R^{6A} represents hydrogen, C₁-C₆-alkylcarbonyl or C₃-C₆-cycloalkylcarbonyl,
- R^{6B}—represents C₁-C₄-alkyl, which can be substituted with a radical selected from the group consisting of hydroxy, C₁-C₄-alkoxy, amino, di-C₁-C₄-alkylamino, phenyl, pyridyl, imidazolyl, pyrrolidino and morpholino,
- R⁷ represents trifluoromethyl or nitro,

and

Y¹, Y², Y³ and Y⁴ each represent CH.

- 5. (Canceled)
- 6. (Previously Presented) The compound of general formula (I-A) according to claim 1, wherein R^1 is hydrogen.
- 7. (Canceled)
- 8. (Canceled)
- 9. (Previously Presented) The compound of formula (I-A) according to claim 1, wherein R^4 is C_1 - C_4 -alkoxycarbonyl, which can be substituted with dimethylamino, diethylamino, N-ethylamino, pyrrolidino or piperidino, or wherein R^4 is C_1 - C_4 -alkylcarbonyl.
- 10. (Previously Presented) The compound of formula (I-A) according to claim 1, wherein R⁵ is methyl.
- 11. (Previously Presented) The compound of formula (I-A) according to claim 1, wherein R⁷ is trifluoromethyl or nitro.

- 12. (Previously Presented) The compound of formula (I-A) according to claim 1, wherein R^{6A} is hydrogen.
- 13. (Canceled)
- 14. (Currently Amended) A compound of formula (I-C)

$$R^{4}$$
 R^{4}
 R^{4}
 R^{3}
 R^{3}
 CF_{3}
 $(I-C),$

wherein

- Z represents CH or N, and R^1 , R^3 and R^4 have the meaning indicated in claim 1.
- 15. (Canceled)
- 16. (Canceled)

- 17. (Previously Presented) A composition containing at least one compound of formula (I-A) or (I-C), as defined in Claims 1 or 14, and a pharmacologically acceptable diluent.
- 18. (Cancelled)
- 19. (Canceled)
- 20. (Cancelled)
- 21. (Currently Amended) A method of treating acute and chronic inflammatory, ischaemic or remodelling processes, comprising administering a therapeutically effective amount of a compound of formula (I-A) or (I-C), as defined in Claim 1 Claims 1 or 14.
- 22. (Previously Presented) The method according to Claim 21, wherein the process is chronic obstructive pulmonary disease, acute coronary syndrome, acute myocardial infarction or development of heart failure.
- 23. (Canceled)

- 24. (Canceled)
- 25. (Canceled)
- 26. (Cancelled)
- 27. (Cancelled)
- 28. (Cancelled)
- 29. (Cancelled)